

# T3S—R5E. 2<sup>nd</sup> Mer.

Sec. 5. boundary of T2S. R25E												214	214	213	213
214	6	254	5	253	4	253	3	252	2	251	1	218			
	249	249-254		250-253		250-252		250-252		251					
215	7	249	8	248	9	247	10	246	11	245	12	218			
	243	244-248		244-248		244-248		244-246		245					
215	18	243	17	242	16	242	15	241	14	240	13	218			
	238	239-243		239-243		239-241		239-241		240					
216	19	238	20	237	21	236	22	235	23	235	24	219			
	232	233-237		233-237		233-236		234-235		234					
216	30	232	29	231	28	229	27	227	26	226	25	219			
	231	230-231		229-230		228		227		226					
217	31	230	32	229	33	228	34	227	35	226	36	220			
	220-225	220-225		221-224		221-224		221-223		222					

# T4S—R5E. 2<sup>nd</sup> Mer.

257-261	357-260	260-357	260-357	259-358	258							
261	6	294	5	294	4	295	3	296	2	296	1	268
293	293-294		293-295		293-295		292-296		297		268	
262	7	290	8	290	9	291	10	292	11	292	12	268
289	289-290		288-291		288-291		288-292		288		268	
262	18	284	17	285	16	286	15	286	14	287	13	268
283	283-284		283-285		282-286		277-287		287		268	
263	19	279	20	280	21	280	22	281	23	280	24	268
278	278-279		278-280		277-281		277-280		277		268	
263	30	269	29	271	29	273	27	274	26	276	25	268
269	271		272		274		275		275		268	
264	31	269	32	270	33	272	34	273	35	274	36	268
265	265		266		266		267		267		268	

Ohio R.

268

Ohio R.

Meandering 297.

257

T. 4. S. R. 5. E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>

Township No. 4. S. R. 5. E. 2<sup>d</sup> Meridian  
Indiana

North Boundary

East On Random line between Townships No. 3 & 4 -  
South, Range No. 5, East  
40.00 Set a temporary  $\frac{1}{4}$  sec. post This  $\frac{1}{2}$  mile over level  
2<sup>d</sup> rate soil, timber B. Oak, W. Oak & Hickory  
80.00 Set a temporary sec. post for Sec. No. 32 & 33. Town-  
-ship No. 3 South, Range No. 5 East. - This  $\frac{1}{2}$  mile  
over-level land, 3<sup>d</sup> rate soil, timber W. Oak, B. Oak  
and Hickory

---

East On the Random line between Townships 3 & 4 S.  
18.50 a Brook 3 lbs. wide course S. W.  
40.00 Set a temporary  $\frac{1}{4}$  sec. post Land level & 2<sup>d</sup> rate  
soil, timber W. Oak, B. Oak & Hickory  
80.00 Set the temporary sec. post, for Sec. No. 32 & 33.  
Township No. 3 South, Range No. 5 East, This  
 $\frac{1}{2}$  mile for the 1<sup>st</sup> 25 chs. level land & 2<sup>d</sup> rate soil,  
the last 15 chs. the land descends East, 2<sup>d</sup> rate soil  
timber B. Oak, W. Oak, <sup>beech</sup> & some chestnut.

---

East On the Random line between Townships No. 3 & 4  
South, Range No. 5 East.  
1.75 a brook 7 lbs. wide course South  
37.50 a creek 35 lbs. wide course S. W.  
40.00 Set the temporary  $\frac{1}{4}$  sec. post - This  $\frac{1}{2}$  mile  
is over uneven broken land, 3<sup>d</sup> rate soil, timber  
B. Oak, W. Oak, some Beech & chestnut.  
80.00 Set temporary mile post for Sec. No. 33 & 34  
Land uneven & hilly 3<sup>d</sup> rate, thick under brush,  
timber Beech, B. Oak, W. Oak & some chestnut.

---

East On a Random line between Townships No. 3 & 4  
South, Range No. 5 East.  
40.00 Set the temporary  $\frac{1}{4}$  sec. post, This  $\frac{1}{2}$  mile is over



## T. 4. S. R. 5. E. of Mer. Ind.

- hilly land, 3<sup>rd</sup> rate soil. timber Beech, W. Oak Ches-  
nut & some Poplar, under brush very thick
- 47.50 a brook 4 lks. wide course S. E.
- 68.80 a Brook 5 lks. wide course S. E.
- 75.00 a Do 15 lks. wide course W. S. W.
- 80.00 Set temp<sup>y</sup>. mile post for Sec. No. 34 & 35. T. 3. S.  
R. 5. E. - This 1/2 mile is over hilly land, 3<sup>rd</sup> rate soil.  
timber W. Oak, B. Oak & some Chesnut, very thick & G.

## East

- 40.00 Set the temporary 1/4 Sec. post. This 1/2 mile is over  
hilly 3<sup>rd</sup> rate land, timber Beech, B. Oak, W. Oak & some  
Chesnut
- 42.50 a brook 6 lks. wide course S. E.
- 70.00 hilly poor land. timber W. Oak, B. Oak & C.
- 80.00 Set the temp<sup>y</sup>. mile post for Sec. No. 35 & 36. T. 3. S.  
R. 5. E. The last 10 lks. of this mile level & 3<sup>rd</sup> rate  
soil, timber Beech, W. Oak & Poplar.

East On the Random line between Townships No. 3  
& 4 South, Range No. 5 East

- 5.00 Town & steep hill to a brook 4 lks. wide course E. S. E.
- 40.00 Set the temporary 1/4 Sec. post. This 1/2 mile is over  
an astonishing high ridge of land trending E. S. E. &  
N. N. W. & is part of high ridge of land known by  
the name of the knobs. The land is very poor and  
rocky, timber W. Oak, B. Oak & Beech. N. B.  
a brook 20 lks. wide at 32 lks. course S. E.
- 81.00 a Brook 6 lks. wide course South
- 96.00 Intersected the N & S line between Ranges No.  
5 & 6 East. 8 lks. North of the established Township  
corner. This Township corner stands on the East  
side of one of those high knobs. Soil poor as  
before, timber the same

## West On a true line between Townships No. 3 &amp; 4 South

# T. L. S. R. 5. E. of Mer. Ind.

259

Range No. 5 East.

- 40.00 Up a steep knob.  
 15.00 Down a knob  
 20.90 a Beech 12 ins. dia  
 24.15 a Beech 15 ins. dia  
 29.40 a Beech 15 ins. dia  
 40.00 Set the  $\frac{1}{2}$  mile post for  $\frac{1}{4}$  sec. corner from which a  
 Sugar-Maple 5 ins. dia. bears S 5 D.  $\frac{3}{4}$  W 10 lbs. & a Beech  
 8 ins. dia. bears N 15 E 23 lbs. This line is in a deep  
 valley with high knobs on each side - timber -  
 Beech, B. Oak & W. Oak, Soil poor  
 40.50 a Brook 30 lbs. wide course S. E.  
 50.10 a Beech 14 ins. dia, stands on the East side of  
 a high knob.  
 55.42 a Beech 12 ins. dia  
 80.00 Set a mile post corner of S. P. (No. 35 & 36. T. 3. S.  
 R. 5. E. from which an Elm 14 ins. dia. bears N  
 50 W 6 lbs. & a Poplar 5 ins. dia. bears S 25 E 15 lbs.  
 The East 30 lbs. in this  $\frac{1}{2}$  mile is over & along the  
 South side of a high knob, poor rocky land, timber  
 Beech, B. Oak & W. Oak.

---

West On a true line between Township (No. 3<sup>4</sup>/<sub>4</sub> South  
 Range No. 5 East.

- 2.00 a brook 3 lbs. wide course South Easterly in  
 a deep valley.  
 3.96 a Blue Ash 22 ins. dia.  
 15.00 along the northerly side of a high knob to the  
 top of the same  
 26.30 a Beech 24 ins. dia  
 40.00 Set the  $\frac{1}{2}$  mile post for the  $\frac{1}{4}$  sec. corner, from which  
 a W. Oak 12 ins. dia. bears N 44 E 14 lbs. & a W. Oak 10  
 ins. dia. bears S 23 E 30 lbs. The land from the top of the  
 knobs level 3<sup>rd</sup> rate soil. timber Beech Sugar-Maple  
 B. Oak & W. Oak  
 57.60 a Beech 30 ins. dia.

## T. 4. S. R. 5. E. of Mer. Ind.

- 51.90 a Brook 5 Mts. wide course South  
 57.90 a Poplar 12 ins. dia  
 63.50 a Hickory 20 " "  
 70.00 a B. Oak 24 " "  
 80.00 Set a mile post, the corner of Sec. (No. 34 & 35 Township No. 3 South, Range No. 5 East, from which a W. Maple 12 ins. dia. bears N 9 W 30 Mts. to Hickory 13 ins. dia. bears S 9 E 60 Mts. This is mile over hilly land, 3<sup>d</sup> rate soil, timber W. Oak, B. Oak, some Chestnut & Hickory

## West

- 6.75 a brook 4 Mts. wide course S 87 W  
 17.70 a B. Oak 15 ins. dia  
 25.00 a brook 25 Mts. wide course S. W. by W.  
 40.00 Set a  $\frac{1}{2}$  mile post for the  $\frac{1}{4}$  Sec. post, from which a Poplar 8 ins. dia. bears S 7 E 21 Mts. & a Buck 22 ins. dia. bears N 42 E 27 Mts. This  $\frac{1}{2}$  mile is over uneven land 3<sup>d</sup> rate soil.  
 43.00 a Chestnut 8 ins. dia  
 80.00 Set a mile post corner of Sec. (No. 33 & 34 in Township No. 3 South, Range No. 5 East from which a Hickory 8 ins. dia. bears N 39 E 45 Mts. & another Hickory 9 ins. dia. bears S 43 W 60 Mts. - This  $\frac{1}{2}$  mile is over level land 3<sup>d</sup> rate soil, timber B. Oak, W. Oak, some Chestnut & Hickory, very thick with under-bush

West On a true line between Townships No. 34 & 44 South, Range No. 5 East

- 7.00 a Hickory 13 ins. dia  
 19.75 a B. Oak 30 " "  
 40.00 Set  $\frac{1}{4}$  mile post for the  $\frac{1}{4}$  Sec. corner, from which a W. Oak 36 ins. dia. bears N 4 E 25 Mts. & a Poplar 16 ins. dia. bears S 4 W 53 Mts.  
 57.50 a Brook 30 Mts. wide course S. W.

261

T. 4. S. R. 5. E. of Mer. Ind.

69.25 a Black jack 12 ins. dia  
 80.00 Set a mile post corner of Sec. No. 32 & 33 in Township No. 3 South, Range No. 5 East — from which a B. Oak 14 ins. dia. bears S 57½ E 30 lbs. & a W. Oak 14 ins. dia. bears N 63 W 16 lbs

West On a true line between Townships No. 3 & 4 South, Range No. 5 East

10.50 a B. Oak 24 ins. dia  
 12.00 a Brook 5 lbs. wide course South  
 28.16 a Chestnut 10 ins. dia  
 40.00 Set the ¼ mile post for the ¼ sec. corner — from which a Hickory 7 ins. dia. bears N 5½ W 30 lbs. & a W. Oak 14 ins. dia. bears S 16½ E 38 lbs.

46.50 a Brook 6 lbs. wide course S. W.

80.00 Set a mile post corner of Sec. No. 31 & 32, in Township No. 3 South, Range No. 5 East, from which a Hickory 7 ins. dia. bears S 10 E 30 lbs. & a Hickory 5 ins. dia. bears N 32 W 25 lbs.

West On a true line between Townships No. 3 & 4 South, Range No. 5 East.

36.20 a B. Oak 24 ins. dia

40.00 Set ¼ mile post for ¼ sec. corner, from which a Poplar 6 ins. dia. bears N 2½ E 20 lbs. & a B. Oak 20 ins. dia. bears S 1 E 48 lbs.

93.50 Intersected the Township corner

South Continued the line between ranges No. 4 & 5 East from the N. W. corner of Town 4 South

13.65 a Poplar 8 ins. dia. Land level & 2<sup>nd</sup> rate soil.

26.00 a Brook 6 lbs. wide course S. W. Land 1<sup>st</sup> rate soil

40.00 Set a ¼ mile post for the ¼ sec. corner from which a W. Oak 6 ins. dia. bears N 50 W 8 lbs. & a Hickory 10 ins. dia. bears N 88½ E 21 lbs. — Land level & 2<sup>nd</sup> rate, timber W. Oak, B. Oak & Hickory



## T. 4. S. R. 5. E. of Mer. Ind.

- 53.90 a W. Oak 18 ins. dia  
 60.05 a Do 12 " "  
 61.00 a brook 3 Mts. wide course West  
 80.00 Set a mile post corner of Sect. (No. 6 & 7. Township  
 No. 4 South, Range (No. 5 East & Sec. (No. 1 & 12  
 Township (No. 4 South, Range) No. 4 East, from  
 which a Poplar 14 ins. dia. bears S 43 E 19 Mts. & a  
 B. Oak 2 1/2 ins. dia. bears N 73 W 15 Mts. Land level  
 & 2<sup>d</sup> rate soil, timber B. Oak, W. Oak & some hickory

South Continued the line between Ranges No. 4 & 5 East

- 10.53 a W. Oak 10 ins. dia  
 28.45 a Beech 13 " "  
 35.00 a W. Maple 5 ins. dia.  
 40.00 Set 1/2 mile post for the 1/2 Sec. post, from which  
 a B. Oak 2 1/2 ins. dia. bears N 33 W 10 Mts. & a W.  
 Oak 4 ins. dia. bears S 50 E 30 Mts. This 1/2 mile is  
 over level land 3<sup>d</sup> rate soil, timber B. Oak, W. Oak  
 some hickory & poplar  
 59.80 a black Oak 20 ins. dia  
 48.50 a Hickory 15 " "  
 80.00 Set a mile post corner of Sec. (No. 7 & 18. Township  
 No. 4 South, Range (No. 5 East & Sec. (No. 12 & 13  
 Township (No. 4 South, Range) No. 4 East, from  
 which a black jack 5 ins. dia. bears N 80 E 27 Mts.  
 & a Hickory 11 ins. dia. bears N 74 W 20 Mts.  
 Land for the last 15 chs. of this 1/2 mile 3<sup>d</sup> rate soil,  
 the last 25 chains, 2<sup>d</sup> rate soil, timber W. Oak  
 B. Oak. Hickory & some poplar.

South Continued the line between Ranges No. 4 & 5 East

- 24.50 a Chestnut 48 ins. dia  
 33.03 a W. Elm 24 " "  
 35.00 a brook 30 Mts. wide course S. W.  
 40.00 Set a 1/2 mile post, for the 1/2 Sec. corner, from  
 which a Water Beech 4 ins. dia. bears S 75 W 16 Mts.



263

T. L. S. R. S. E. of Mer. Ind.

9 a Hackberry 18 ins. dia. bears N 61 E 32 lbs. This  
 1/2 mile over rolling land 2<sup>d</sup> rate soil, Timber Oak  
 W. Oak, some Beech & Hickory.

42.20 a W. Oak 36 ins. dia

55.50 a Beech 30 " "

65.75 a Do 34 " "

80.00 Set a mile post corner of Sect. No. 18 & 19. in  
 Township No. 4 South, Range No. 5 East & Sect. No.  
 13 & 24. Township No. 4 South, Range No. 4 East  
 from which a Beech 5 ins. dia. bears N 48 E 30 lbs.  
 & another Beech 7 ins. dia. bears N 54 W 25 lbs.  
 This 1/2 mile is over rolling land, 2<sup>d</sup> rate soil, timber  
 Beech, Sugar Maple, W. Oak & Poplar

South Continued the line between Ranges No. 4 & 5 East

4.50 a Beech 50 lbs. wide course West

6.85 a Beech 20 ins. dia

31.15 a Do 5 " "

40.00 Set 1/2 mile post, for 1/4 Sec. corner from which a  
 Beech 14 ins. dia. bears N 86 E 34 lbs. & another  
 Beech 10 " " " N 39 W 17 lbs. This 1/2 mile  
 is over rolling land, 2<sup>d</sup> rate soil, timber Beech, Sugar  
 tree, (Maple), Poplar & W. Oak

44.83 a W. Oak 42 ins. dia

59.40 a Beech 16 " "

71.34 a Poplar 36 " "

80.00 Set a mile post corner of Sect. No. 19 & 30. Township  
 No. 4 South, Range No. 5 East & Sect. No. 24 & 25  
 Township No. 4 South, Range No. 4 East, from  
 which a Beech 24 ins. dia. bears N 62 E 52 lbs. &  
 another Beech 13 ins. dia. bears N 78 W 36 lbs.  
 (This 1/2 mile is over level land, 2<sup>d</sup> rate soil,  
 timber, Beech, W. Oak, Sugar Maple, Poplar &  
 some few large White Oaks.

South Continued the line between Ranges No. 4 & 5 East

## H. L. S. R. S. E. of Mer.

- 8.67 a brook 3 Mrs. wide N. V. S.  
 11.50 a W. Elm 15 ins. dia  
 26.00 a Creek 55 Mrs. wide course S 60° W  
 40.00 Set 1/2 mile post for the 1<sup>st</sup> Sec. corner, from which  
 a Buck 7 ins. dia. bears N 39° W 40 Mrs. & a W. Oak  
 16 ins. dia. bears S 78° E 31 Mrs. This 1/2 mile is  
 over land some rolling 3<sup>rd</sup> rate soil. Timber  
 W. Oak, Buck & some Poplar  
 56.50 a W. Oak 10 ins. dia  
 70.50 a Hickory 15 " "  
 80.00 Set a mile post corner of Sect. No. 30 & 31 in  
 Township No. 4 South, Range No. 5 East &  
 1<sup>st</sup> Sec. No. 25 & 36. Township No. 4 South, Range  
 No. 4 East, from which a Sugar maple 10 ins.  
 dia. bears N 78 1/2° W 38 Mrs. & a dogwood 5 ins. dia  
 bears S 70 1/2° E 15 Mrs. — This 1/2 mile is over level  
 land, 3<sup>rd</sup> rate soil. Timber B. Oak, W. Oak &  
 some few poplars.

South continued the line between Ranges No. 4 & 5 East

- 17.20 a Poplar 20 ins. dia  
 40.00 Set 1/2 mile post for the Sec. corner, from which an  
 Ironwood 4 ins. dia. bears S 78 1/2° W 15 Mrs. & another  
 Ironwood 5 ins. dia. bears S 44 1/2° E 14 Mrs.  
 This 1/2 mile is over uneven land, 3<sup>rd</sup> rate soil.  
 Timber B. Oak, W. Oak & some few Poplars  
 49.45 a B. Oak 14 ins. dia  
 55.95 a Buck 14 " "  
 80.00 Set mile post corner of Township No. 4 & 5  
 South, Range No. 5 East Townships No. 4 & 5  
 South, Range No. 4 East, Sect. No. 1. b. 31 & 36,  
 from which a Hickory 20 ins. dia. bears S 48° E 21  
 Mrs. & another Hickory 24 ins. dia. bears N 67° E 31 Mrs.  
 & a Black jack 14 ins. dia. bears N 72 1/2° W 30 Mrs.  
 & a Poplar 16 ins. dia. bears S 70° W 35 Mrs.  
 This Township corner stands on a level spot of

# 265

## T. L. S. R. S. E. of Mer. Ind.

ground, & the  $\frac{1}{2}$  mile is over rolling land 2<sup>d</sup> rate soil.  
 Timber (W. Oak, B. Oak, some Beech & Poplar

---

East	Between Townships (No. 4 & 5 South, Range (No. 5 East
22.70	a W. Oak 16 ins. dia
26.00	a Beech 14 " "
40.00	Set $\frac{1}{2}$ mile post for $\frac{1}{4}$ sec. corner from which a Beech 7 ins. dia. bears S 4 W 4 Mrs. & a Dog wood 3 ins. dia. bears S 11 $\frac{1}{2}$ W 34 Mrs. This $\frac{1}{2}$ mile is over rolling 3 <sup>d</sup> rate land, timber (W. Oak, B. Oak & some Beech
41.00	a Beech 10 ins. dia
50.30	a W. Oak 14 " "
77.20	a Beech 15 " "
80.00	Set a mile post corner of Sec. (No. 31 & 32 in Township (No. 4 South, Range (No. 5 East, from which a Sugar maple 5 ins. dia. bears S 6 $\frac{3}{4}$ W 21 Mrs. & a Poplar 36 ins. dia. bears S 2 $\frac{1}{2}$ W 36 Mrs. (This $\frac{1}{2}$ mile is over rolling land, 2 <sup>d</sup> rate soil, tim- -ber Beech, sugar maple, W. Oak &c

---

East	Between Townships (No. 4 & 5 South, Range (No. 5 East
17.50	a Brook 8 Mrs. wide course S. W
18.79	a Beech 10 ins. dia
22.50	a Brook 15 Mrs. wide course S. W. a very hand- -some one the East bank, 15 Mrs. from the bank & 20 Mrs. to the right of the line
33.50	a Brook 3 Mrs. wide, course S. W.
40.00	Set $\frac{1}{2}$ mile post for the $\frac{1}{4}$ sec. corner, from which a Beech 12 ins. dia. bears S 35 E 7 Mrs. & another Beech 14 ins. dia. bears S 32 E 19 Mrs. This $\frac{1}{2}$ mile for the 1 <sup>st</sup> 23 chs. 1 <sup>st</sup> rate land, The last part hilly & 3 <sup>d</sup> rate soil, Timber Beech, sugar maple, 1 Beech & White Oak & some Elms
57.75	a W. Oak 12 ins. dia
80.00	Set a mile post corner of Sec. (No. 32 & 33

# T. L. S. R. S. E. of Mer.

Township (No. 4 South, Range (No. 5 East  
from which a Hickory 10 ins. dia. bears N 31 $\frac{1}{2}$   
W 8 lrs. & a W. Oak 12 ins. dia. bears S 11 W 12 lrs.  
This  $\frac{1}{2}$  mile is over hilly land. 3<sup>d</sup> rate Timber  
W. Oak, B. Oak, Buck &c.

East Between Townships (No. 4 & 5 South, Range 5 East  
40.00 Set  $\frac{1}{2}$  mile post for  $\frac{1}{4}$  sec. corner, from which  
a W. Oak 10 ins. dia. bears N 31 $\frac{1}{2}$  E 28 lrs. & a  
Dogwood 3 ins. dia. bears S 11 W 12 lrs. — This  
 $\frac{1}{2}$  mile is over hilly land, 3<sup>d</sup> rate soil, timber  
W. Oak, B. Oak, &c.

58.30 a B. Oak 15 ins. dia

64.00 a W. Oak 14 " "

72.30 a W. Oak 30 " "

80.00 Set a mile post corner of Sec. (No. 33 and 34  
Township (No. 4 South, Range (No. 5 East, from  
which a W. Oak 14 ins. dia. bears N 18 $\frac{1}{2}$  E 28 lrs.  
& a Poplar 20 ins. dia. bears S 14 E 38 lrs.  
(This  $\frac{1}{2}$  mile over level land 3<sup>d</sup> rate soil, timber  
W. Oak, B. Oak, some Buck & Poplar

East Between Townships (No. 4 & 5. South Range 5 East  
25.00 a brook 6 lrs. wide course North

29.40 a W. Oak 12 ins. dia

40.00 Set  $\frac{1}{2}$  mile post for  $\frac{1}{4}$  sec. corner from which  
a B. Oak 14 ins. dia. bears S 51 E 17 lrs. & a Poplar  
10 ins. dia. bears N 21 W 14 lrs. This  $\frac{1}{2}$  mile  
is over rolling land 3<sup>d</sup> rate soil. Timber (W. Oak,  
B. Oak, some Poplar &c.

53.00 a W. Oak 27 ins. dia

80.00 Set a mile post corner of Sec. (No. 34 and 35  
Township (No. 4 South, Range (No. 5 East,  
from which a B. Oak 12 ins. dia. bears S 69 E  
15 lrs. & a W. Oak 14 ins. dia. bears N 63 $\frac{1}{2}$  W  
15 lrs. This  $\frac{1}{2}$  mile is over hilly 3<sup>d</sup> rate



# J. L. S. R. S. E. of Mer. <sup>267</sup>

Soil, Timber B. Oak, W. Oak, some poplar &c

- 
- East Between Townships No. 4 & 5 South, Range 5 East
- 11.39 a Hickory 20 ins. dia
- 27.00 a ledge of rocks 20 feet perpendicular - face to the East
- 31.00 Down a steep knob. to a brook 8 links wide course S. E.
- 46.00 Set  $\frac{1}{2}$  mile post for  $\frac{1}{4}$  sec. corner from which a B. Oak 7 ins. dia. bears S 29 W 4 lks. & another B. Oak 8 " " " N 7 W 31 lks. This  $\frac{1}{2}$  mile over large knobs, soil poor & rocky. Timber B. Oak, W. Oak, some Beech &c
- 59.00 a B. Oak 7 ins. dia
- 80.00 Set a mile post corner of Sect. No. 35 & 36 in Township No. 4 South, Range No. 5 East, from which a Beech 15 ins. dia. bears N 15 E 12 lks. & a Poplar 9 ins. dia. bears S 7 E 24 lks. This  $\frac{1}{2}$  mile is over a large knob, poor rocky soil, timber B. Oak, W. Oak & some Beech.
- 

- East Between Townships No. 4 & 5 South, Range 5 East
- 3.00 a Brook 10 lks. wide course S. E.
- 3.70 a Sugar Maple 10 ins. dia
- 18.00 a W. Oak 16 " "
- 22.50 a brook 3 lks. wide course South in a deep gulf.
- 37.50 a Beech 15 ins. dia. on the top of a high knob commonly known by the name of the hanging knob.
- 46.00 Set this mile post, for  $\frac{1}{4}$  sec. corner, from which a Beech 15 ins. dia. bears N 47 W 37 lks. & a Hickory 24 ins. dia. bears S 52 E 11 lks. This  $\frac{1}{2}$  mile is filled with large knobs. Fertile soil, Timber B. Oak, W. Oak Beech and some Poplar
- 44.00 To the edge of a hanging cliff of rocks.



## S. L. S. R. S. E. of Mer.

50.00 Down the cliff to the bottom land of the Ohio River

64.50 a Buck 15 ins. dia

65.50 a Box Elder 7 ins. dia. standing on the West bank of the Ohio river. the corner of Township No. 4 South, Range (No. 5 East Sec. (No. 3 & Town - ship No. 5 South, Range (No. 5 East Sec. (No. 1 from which a W. Elm 24 ins. dia. bears N 24 W 43 Mos. & another Elm 5 ins. dia. bears N 44 E W 50 Mos. & a W. Maple 16 ins. dia. bears N 36 E 80 Mos. & a Mulberry 6 ins. dia. bears S 22 E 25 links. The land from the foot of the knob or hanging cliff. 2<sup>nd</sup> rate bottom. Timber Buck, Sugar maple, some Elm &c.

Township No. 4 South, Range (No. 6 East South commenced at S. W. corner of Township No. 3 South, Range No. 6 East

21.38 a Poplar 24 ins. dia

40.00 At the 1/4 Sec. post, from which a Buck 26 ins. dia. bears S 10, 30 E 42 Mos. & a bears N 38, 30 W 20 Mos. Land 2<sup>nd</sup> rate rolling Buck, Poplar Ash &c.

58.92 an Ash 14 ins. dia

65.50 a dry brook 30 Mos. wide course N 32 W

80.00 At Sec. post corner to Sec. (No. 6, 7, 14 12 Townships 4 & 4 South Ranges 5 & 6 East. at which a Buck 15 ins. dia. is corner, Land 2<sup>nd</sup> rate bottom. Timber Buck, Ash, Sugar, under growth Spice & Cane - good farming land.

16.00 Is the corner of Townships 4 & 4 South, Ranges 5 & 6 East on the Ohio River, a Buck 7 ins. dia standing at high water mark corner. - Land 2<sup>nd</sup> rate bottom timber Buck, Sugar, Poplar &c. Spice &c

# S. L. S. R. S. E. of Mer. Ind. <sup>269</sup>

North Between Sect. Nos. 31 & 32 Township No. 4 South  
Range No. 5 East

32.00 a Poplar 20 ins. dia. in true line

40.00 Set the 1/4 sec. post, from which a Beech 15 ins.  
dia. bears N 79 E 20 Mrs. & a Poplar 18 ins. dia.  
bears S 72 W 22 Mrs. This 1/2 mile through a  
briery thicket, timber Poplar, Oak &c

45.00 a W. Oak 22 ins. dia

80.00 Set a post corner to Sect. Nos. 29, 30, 31 & 32  
Township No. 4 South, Range No. 5 East, from  
which a W. Oak 15 ins. dia. bears N 44 E 27 Mrs. &  
a Dogwood 4 ins. dia. bears S 26 W 11 Mrs. This  
1/2 mile over 2<sup>d</sup> rate level land, timber W. Oak  
and Poplar—

West Random between Sect. No. 30 & 31 Township No. 4  
South, Range No. 5 East

40.00 Set the temporary 1/4 sec. post— This 1/2 mile  
over level 2<sup>d</sup> rate land, timber W. Oak &c.

49.50 Intersected Range line 1.72 Mrs. North of corner  
to Sect. No. 30 & 31. This 1/2 mile over level 2<sup>d</sup> rate  
land, timber W. Oak, Oak &c. very briery

East Corrected line East between Sect. Nos. 30 and 31  
Township No. 4 South, Range No. 5 East

39.75 Set the 1/4 sec. post on true line at the average  
distance from which a Hickory 18 ins. dia. bears  
N 22 W 7 Mrs. & a Beech 9 ins. dia. bears S 4 W  
24 Mrs. Over land &c. as per random

57.00 a B. Oak 20 ins. dia. in true line or a sight

79.50 Corner to Sect. Nos. 29, 30, 31 & 32 Township No. 4  
South, Range No. 5 East

North Between Sect. Nos. 29 & 30 Township No.  
4 South, Range No. 5 East

7.50 a B. Oak 30 ins. dia. in line

## S. L. &amp; R. S. E. of Mer.

- 20.00 a Black Oak 20 ins. dia. in line  
 40.00 Set the 7/4 sec. post, from which a Beech 14 ins. dia. bears S 61 W 19 lbs. & a White Oak 20 ins. dia. bears S 44 E 19 lbs. This 1/2 mile over level 2<sup>d</sup> rate land, Timber W. Oak, Buck, B. Oak &c.  
 45.00 a brook 10 lbs. wide, runs N. W.  
 74.00 a brook 20 lbs. wide runs West, plenty good water here. I am of the opinion a good Mill Seat could be had near this place, with a sufficiency of water all times of the Year.  
 77.50 a Lycamore 40 ins. dia. a sight tree  
 80.00 Set a post corner to Sect. No. 19. 20. 29 & 30 Township No. 4 South, Range No. 5 East, from which a Sugar tree 9 ins. dia. bears N 44 E 22 lbs. & a Beech 5 ins. dia. bears S 77 W 22 lbs. This 1/2 mile is over 2<sup>d</sup> rate land, rather rough Timber W. Oak, Buck, Poplar &c.

North Between Sect. No. 32 & 33 Township No. 4. South, Range No. 5 East

- 25.00 a brook 20 lbs. wide runs West, plenty water for mills - about 20 lbs. West from here is an improvement occupied by a Mr. Rusk. about 10 or 12 acres on the bottom on the North side of this water course  
 35.00 a Sugar tree 10 ins. dia. in line  
 40.00 Set the 7/4 sec. post from which a W. Oak 12 ins. dia. bears S 88 E 20 lbs. & a Dogwood 7 ins. dia. bears N 75 W 17 lbs. This 1/2 mile over 2<sup>d</sup> rate land, timber Oak, Buck, Sugar, Poplar, Briers and Spruce for under-growth &c.  
 41.00 a Buck 20 ins. dia. in line  
 80.00 Set a post corner to Sect. No. 28. 29. 32 & 33 in Township No. 4 South Range No. 5 East, from which a Dogwood 4 ins. dia. bears S 78 E 22 lbs. & another Dogwood 4 ins. dia. bears N 78 W 19 lbs.

# T. L. S. R. S. E. of Mer. Ind. <sup>871</sup>

This  $\frac{1}{2}$  mile over 2<sup>d</sup> rate land, rather rough, timber Oak, Ash, Poplar &c.

West Random line West between Sect. No. 29 & 32 Township No. 4 South, Range No. 5 East  
 40.00 Set the temporary  $\frac{1}{4}$  sec. post - This  $\frac{1}{2}$  mile over level 2<sup>d</sup> rate land, timber W. Oak & Beech  
 79.75 fell 1.00 North of corner to Sect. No. 29. 30. 31 & 32 Township No. 4 South, Range No. 5 East  
 This  $\frac{1}{2}$  mile over level 2<sup>d</sup> rate land, timber W. Oak Ash, Poplar &c

East Connected line East between Sect. No. 29 & 32 Township No. 4 South, Range No. 5 East.  
 39.87 $\frac{1}{2}$  Set  $\frac{1}{4}$  sec. post on true line at the average distance, from which a Hickory 10 ins. dia. bears S 30 W 5 lbs. & a Poplar 14 ins. dia. bears N 83 E 25 lbs. This  $\frac{1}{2}$  mile over-land &c. as per random  
 55.00 B. Oak 20 ins. dia. in line  
 79.75 Corner to Sect. No. 28. 29. 32 & 33. Township No. 4 South, Range No. 5 East.

North Between Sect. No. 28 & 29. Township No. 4 South, Range No. 5 East.  
 5.00 a W. Oak 20 ins. dia. in line  
 40.00 Set the temporary  $\frac{1}{4}$  sec. post, from which a W. Oak 20 ins. dia. bears S 64 E 14 lbs. & a Dog-wood 4 ins. dia. bears N 7 E 48 lbs. This  $\frac{1}{2}$  mile over good farming land 2<sup>d</sup> rate, Timber W. Oak, Ash, Poplar & Beech.  
 80.00 Set a post corner to Sect. No. 20. 21. 28 & 29 in Township No. 4 South, Range No. 5 East, from which a W. Oak 24 ins. dia. bears South 8 lbs. & another W. Oak 18 ins. dia. bears N 45 E 32 lbs. Corner stands 10 lbs. South



# T. L. S. R. 5. E. of Mer.

of a brook 20 lbs. wide, runs West good water here and plenty, This  $\frac{1}{2}$  mile over 3<sup>d</sup> rate rough land, Timber W. Oak, Beech &c.

North Between Sect. No. 33 & 34. Township No. 4 South, Range No. 5 East

20.00 a brook 12 lbs. wide runs West

38.20 a forked Poplar 34 ins. dia. in line

40.00 Set  $\frac{1}{4}$  sec. post from which a W. Oak 14 ins. dia. bears N 68 W 12 lbs. & a Poplar 6 ins. dia. bears S 41 E 20 lbs. This  $\frac{1}{2}$  mile over 3<sup>d</sup> rate rough land, timber W. Oak, Poplar, Ash &c

57.00 a Poplar in line 20 ins. dia

80.00 Set a post corner to Sect. No. 27, 28, 33 & 34. in Township No. 4 South Range No. 5 East, from which a Beech 18 ins. dia. bears N 38 W 33 lbs. & another Beech 12 ins. dia. bears S 63 W 25 lbs. This  $\frac{1}{2}$  mile over 3<sup>d</sup> rate rough land, timber Oak, Poplar, Ash, Beech &c.

West Random line between Sect. No. 28 & 33 Township No. 4 South, Range No. 5 East

11.00 a brook 18 lbs. wide runs S. W. water plenty

40.00 Set temporary  $\frac{1}{4}$  sec. post - This  $\frac{1}{2}$  mile over 2<sup>d</sup> land, But a briery thicket over the whole timber Poplar Beech Oak.

79.30 fall 100. North of corner to Sect. No. 28, 29, 32 & 33. Township No. 4 South Range No. 5 East This  $\frac{1}{2}$  mile over 3<sup>d</sup> rate land, through a briery thicket together with prickly Ash, timber all fallen

East Corrected East between Sect. No. 28 & 33 in Township No. 4 South, Range No. 5 East.

39.65 Set the  $\frac{1}{4}$  sec. post on the true line at the average distance from which a Beech 9 ins. dia



273

T. L. L. R. 5. E. of Mer. Ind.

bears N 38 E 17 lbs. & a Dogwood 4 ins. dia. bears N 61 W 7 lbs. This  $\frac{1}{2}$  mile over ground as per random through briery thicket &c.

64.40 a Poplar 24 ins. dia. but dead

79.30 corner to Sect. No. 27. 28. 33 & 34 Township No. 4 South, Range No. 5 East

North Between Sect. No. 27 & 28 Township No. 4 South Range No. 5 East

11.50 a Brook 15 lbs. wide, runs West, water here

35.00 a Gum 5 ins. dia

40.00 Set the  $\frac{1}{4}$  Sec. post from which a Beech 4 ins. dia. bears S 30 W 8 lbs. & another Beech 9 ins. dia. bears N 30 E 12 lbs. This  $\frac{1}{2}$  mile through a briar & prickly Ash thicket - very little timber standing & all that dead, &c. 3<sup>d</sup> rate land, rather rough.

43.25 a P. Oak 24 ins. dia. a sight

80.00 Set post corner to Sect. No. 21. 22. 28 & 29 in Township No. 4 South, Range No. 5 East, from which a W. Oak 10 ins. dia. bears N 20 E 38 lbs. & a Hickory 9 ins. dia. bears S 21 W 28 lbs. This  $\frac{1}{2}$  mile over 3<sup>d</sup> rate land, rough, timber Oak & Beech &c.

North Between Sect. No. 34 & 35. T. L. L. R. 5. E.

27.50 a P. Oak 20 ins. dia

40.00 Set the  $\frac{1}{4}$  Sec. post, from which a Gum 10 ins. dia. bears N 83 E 11 lbs. & a Dogwood 4 ins. dia. bears S 88 E 8 lbs. This  $\frac{1}{2}$  mile over 3<sup>d</sup> rate land, timber W. Oak, Chestnut &c

55.00 a Water course 6 lbs. wide, runs W. water here

80.00 Set a post corner to Sect. No. 26. 27. 34 & 35. Township No. 4 South, Range No. 5 East from which a Dogwood 4 ins. dia. bears S 89 W 22 lbs. & another Dogwood 4 ins. dia. bears East 4 lbs.

## T. 4. S. R. 5. E. of Moor.

This  $\frac{1}{2}$  mile over 3<sup>rd</sup> rate land, timber Oak, poplar &c

- West Random line West between Sect. No. 27 & 34 in Township No. 4 South, Range No. 5 East
- 40.00 Set temporary  $\frac{1}{4}$  sec. post. This  $\frac{1}{2}$  mile over 2<sup>nd</sup> rate land, ~~land~~, Timber Oak & Beech &c
- 79.00 Fell 64 lbs. N. of corner to Sect. No. 27. 28. 34 & 35 T. 4. S. R. 5. E. This  $\frac{1}{2}$  mile over 2<sup>nd</sup> rate level land timber Oak & Poplar &c

- East corrected line East between Sect. No. 27 & 34 in Township No. 4 South, Range No. 5 East
- 39.50 a Dogwood 4 ins. dia. at the average distance on the true line from which a B. Oak 15 ins. dia. bears N 5 E 27 Mos. & a W. Oak 10 ins. dia. bears S 27 W 28 Mos. This  $\frac{1}{2}$  mile over 2<sup>nd</sup> rate land as per random
- 43.00 a crooked W. Oak 14 ins. dia. a true sight
- 79.00 corner to Sect. No. 26. 27. 34 & 35. T. 4. S. R. 5. E.

- North Between Sect. No. 26 & 27. T. 4. S. R. 5. E
- 37.00 a Hickory 24 ins. dia. in line a true sight
- 40.00 Set  $\frac{1}{4}$  sec. post. from which a W. Oak 12 ins. dia. bears S 70 W 20 Mos. & a Dogwood 3 ins. dia. bears N 36 E 5 Mos. This  $\frac{1}{2}$  mile over 2<sup>nd</sup> rate land level, Timber W. Oak B. Oak, Chestnut &c.
- 80.00 Set a post corner of Sect. No. 22. 23. 24. & 27 in T. 4. S. R. 5. E. from which an Oak 20 ins. dia. bears S 78 E 14 Mos. & an Elm 20 ins. dia. bears S 36 W 26 Mos. This  $\frac{1}{2}$  mile over 3<sup>rd</sup> rate rough land, Timber W. Oak Beech Poplar &c.

- North Between Sect. No. 35 & 36. T. 4. S. R. 5. E.
- 3.00 a Brook 12 Mos. wide runs S. E
- 8.50 an ash 9 ins. dia. a true sight
- 40.00 Set the  $\frac{1}{4}$  sec. post. from which a Poplar 40 ins. dia. bears N. 18 Mos. & a Sugar tree 4 ins. dia. bears S 31 W

275

# T. 4. S. R. 5. E. of Mer. Ind.

- 26 hrs. This  $\frac{1}{2}$  mile over 3<sup>d</sup> rate rough land, timber Poplar, Oak, Beech &c
- 63.25 a Poplar 30 ins. dia. in line
- 48.00 a Water course 6 hrs. wide runs E. between 2 knobs
- 80.00 Set a plat corner to Sec. No. 25. 26. 35 & 36. T. 4. S. R. 5. E. from which a Beech 9 ins. dia. bears S 54 E 17 hrs. & a Sugar tree 6 ins. dia. bears N 54 W 24 hrs. This  $\frac{1}{2}$  mile over 3<sup>d</sup> rate land, timber Poplar, Oak, Beech &c

- West Random line West between Sec. No. 26 & 35 Township No. 4 South, Range No. 5 East.
- 12.00 a cliff or rock 30 ft high rather hanging over
- 40.00 Set the temporary  $\frac{1}{4}$  Sec. post. This  $\frac{1}{2}$  mile over 3<sup>d</sup> rate, rough land, Timber Chestnut, Chestnut Oak &c. Rocks stupendous
- 79.20 fell 50 hrs. North of corner to Sec. No. 26. 27. 34 & 35. T. 4. S. R. 5. E. This  $\frac{1}{2}$  mile over level 2<sup>d</sup> rate land, timber W. Oak, Chestnut & Chestnut Oak.

- East Connected line East between Sec. No. 26 & 35 in Township No. 4 South, Range No. 5 East
- 15.00 a B. Oak 20 ins. dia. in true line
- 39.60 Set the  $\frac{1}{4}$  Sec. post on the true line at the average distance from which a B. Oak 25 ins. dia. bears N 2 W 13 hrs. & a Poplar 20 ins. dia. bears S 80 E 26 hrs. Over Ground &c. as per random
- 42.00 a W. Oak 9 ins. dia. in true line, a sight
- 79.20 Corner to Sec. No. 25. 26. 35 & 36. T. 4. S. R. 5. E. 3<sup>d</sup> rate land &c. as per random

- East Between Sec. No. 25 & 36. Township No. 3 South Range No. 5 East. true line
- 7.00 a Beech 30 ins. dia. a true sight
- 23.00 nearly in a water course 10 hrs. wide runs S. E.
- 40.00 Set the  $\frac{1}{4}$  Sec. post, from which a Beech 10 ins. dia. bears N 87 W 3 hrs. & a Beech 4 ins. dia. bears S 87 E 3 hrs

# S. 4. S. R. 5. E. of Mer. Ind.

This stake stands on the edge of the River bottom  
This  $\frac{1}{2}$  mile over 3<sup>d</sup> rate land, Timber Beech,  
Poplar &c.

45.00 a brook or bayou runs South

47.50 a Sugar-tree 12 ins. dia

57.50 To the Ohio a Sycamore 12 ins. dia. the corner  
of Sec. No. 25 & 26. S. 4. S. R. 5. E. from which  
an Elm 20 ins. dia. bears S 68 W 2 lks. & another  
Elm 20 ins. dia. bears N 74 W 4 lks. Over State  
bottom. Timber Sugar Elm &c.

North Between Sec. No. 25 & 26. Township No. 4  
South, Range No. 5 East

15.00 rose a prodigious knob. & a worse before us.

26.00 descended a stupendous knob, dangerous to  
come down

36.00 rose a terrible knob & cliff of rocks, so elevated  
I believe we can see half across the State of Ken-  
tucky in a S. E. direction

39.50 a Cedar 10 ins. dia. a sight tree

40.00 Set the  $\frac{1}{4}$  Sec. post from which a Beech 6 ins. dia.  
bears N 65 W 8 lks. & another Beech 5 ins. dia.  
bears S 65 E 7 lks. This  $\frac{1}{2}$  mile over mountainous  
rocky knobby 3<sup>d</sup> rate land. Timber Cedar-Beech  
& scrub Oak. B. Oak &c.

47.00 Descended a very steep knob.

80.00 Set a post corner to Sec. No. 23. 24. 25 & 26.  
Township No. 4 South, Range No. 5 East,  
from which a Beech 15 ins. dia. bears N 74 W 25  
lks. & a B. Oak 20 ins. dia. bears S 4 E 23 lks.  
This whole mile is more properly rocks than  
land, as there could not be found 20 poles of  
earth or soil in the whole mile

East True line East between Sec. No. 24 & 25. Town-  
ship No. 4 South, Range No. 5 East



# 277

## S. 4. S. R. 5. E. of Mer. Ind.

- 9.00 a Beech 20 ins. dia. in true line  
 15.00 a Water course 10 lbs. wide runs South  
 23.00 a Poplar 30 ins. dia. in true line  
 40.00 Set the 1/4 sec. post, from which a B. Oak 30 ins. dia. bears N 5 E 19 lbs. & another B. Oak 3 ins. dia. bears S 67 W 21 lbs. This corner stands on the edge of a cliff of rocks. Over 3<sup>d</sup> rate land, timber B. Oak &c.  
 48.00 Came down cliff on River bottom  
 51.00 a Bayou runs South  
 54.00 Ohio River. Set a post corner to Sec. No. 24 & 25 Township No. 4 South, Range No. 5 East from which a Sycamore 10 ins. dia. bears S 30 W 15 lbs. & another Sycamore 18 ins. dia. bears N 25 E 14 lbs. Over 3<sup>d</sup> rate land, timber Oak, Ash, Beech &c.

---

West Random line West between Sec. No. 23 & 26 Township No. 4 South, Range No. 5 East

- 9.00 a Spring 12 lbs. South of this spot, good water  
 28.55 a Brook 8 lbs. wide runs South, cliffs on each side, good water  
 40.00 Set the temporary 1/4 sec. post. This 1/2 mile over rough 3<sup>d</sup> rate land, stony. Timber, B. Oak, Chestnut & Chestnut Oak &c.  
 49.30 fell 45 lbs. South of corner to Sec. No. 22, 23, 26 & 27. Township No. 4 South, Range No. 5 East. This 1/2 mile over 2<sup>d</sup> rate land, timber Ash, Oak &c.

---

West Random line West between Sec. No. 22 & 27 Township No. 4 South, Range No. 5 East

- 40.00 Set temporary 1/4 sec. post. This 1/2 mile over 3<sup>d</sup> rate land, through a prickly ash & briar thicket  
 49.08 fell 51 lbs. North of corner to Sec. No. 21, 22, 27 & 28. Township No. 4 South, Range No. 5 East



# T. L. S. R. 5. E. of Mer.

This is mile over 3<sup>d</sup> rate land, Timber (W. Oak, B. Oak, &c. green briars

West Random line West, between Sect. (No. 21 & 28, Township No. 4 South, Range No. 5 East—  
 40.00 Set the temporary 1/4 Sec. post. This is mile over 2<sup>d</sup> rate land, Timber W. Oak, B. Oak &c. (rather rough)  
 47.00 a. broke 20 lbs. wide runs N. W  
 79.35 fell 1.02 North of corner to Sect. No. 20. 21. 28 & 29 Township No. 4 South, Range No. 5 East  
 This is mile over 2<sup>d</sup> rate good farming land, timber W. Oak, Beech &c

West Random line between Sect. No. 20 & 29, Township No. 4 South, Range No. 5 East  
 40.00 Set the temporary 1/4 Sec. post. This is mile over 2<sup>d</sup> rate land rather rough, but tillable—Timber W. Oak, B. Oak &c.  
 65.00 a. broke 20 lbs. wide runs N. W  
 80.00 fell 8 1/2 lbs. North of corner to Sect. No. 19. 20. 29 & 30, Township No. 4 South, Range No. 5 East  
 This is mile over 2<sup>d</sup> rate land, timber Beech, Ash Sugar tree &c.

West Random line West between Sect. No. 19 & 30 Township No. 4 South, Range No. 5 East.  
 25.00 a. Beech 20 lbs. wide runs S. W.  
 40.00 Set the temporary 1/4 Sec. post. This is mile over 2<sup>d</sup> rate good farming land, Timber W. Oak, B. Oak Poplar &c.  
 80.02 fell 1.23 lbs. North of corner on Range line  
 This is mile over 2<sup>d</sup> rate land, rather rough, thick woods, Timber (W. Oak, Beech, Poplar, Ash &c.

East Connected line East, between Sect. No. 19 & 30 in

# 279

## S. L. S. R. 5. E. of Mer. Ind.

Township No. 4 South, Range No. 5 East

- 40.01 Set the  $\frac{1}{4}$  sec. post on the true line at average distance from which a Beech 12 ins. dia. bears N 82° W 14 Mos. & a Lym tree 20 ins. dia. bears N 71° E 27 Mos. This  $\frac{1}{2}$  mile over 2<sup>d</sup> rate land, &c. as per random
- 58.30 a Beech 30 ins. dia. in true line
- 80.02 Corner to Sect. No. 19. 20. 29 & 30. Township No. 4 South, Range No. 5 East. over &c. as per random

North Between Sect. No. 19 & 20. Township No. 4 South, Range No. 5 East

- 11.00 a Beech 30 ins. dia. in true line
- 19.00 a Poplar 40 " " " "
- 40.00 Set the  $\frac{1}{4}$  sec. post from which a B. Oak 20 ins. dia. bears S 51° W 31 Mos. & a Beech 8 ins. dia. bears N 48° E 17 Mos. This  $\frac{1}{2}$  mile over good farming 2<sup>d</sup> rate level land, timber Beech, Oak, Poplar, Ash, Sugar tree & Spice under growth.
- 69.56 a Poplar 40 ins. dia. in line
- 80.00 Set a post corner to Sect. No. 17. 18. 19 & 20. Township No. 4 South, Range No. 5 East. from which a Hickory 9 ins. dia. bears N 30° W 19 Mos. & a Gum 9 ins. dia. bears S 49° E 13 Mos. This  $\frac{1}{2}$  mile over good level 2<sup>d</sup> rate land, timber Beech, Oak, Poplar-hickory ash, Spice under growth &c.

East Located line East between Sect. No. 20 & 29. Township No. 4. South, Range No. 5 East

- 2.50 an Ash 20 ins. dia. in true line
- 40.00 Set the  $\frac{1}{4}$  sec. post on the true line at the average distance from which a Poplar 48 ins. dia. bears N 10° W 22 Mos. & a W. Oak 8 ins. dia. bears N 1° E 14 Mos. This  $\frac{1}{2}$  mile over land &c. as per random
- 50.00 a Poplar 36 ins. dia. in true line
- 80.00 Corner to Sect. No. 20. 21. 28 & 29 Township No. 4 South, Range No. 5 East - This  $\frac{1}{2}$  mile

T. 4. S. R. 5. E. of Mer.  
over tillable 2<sup>d</sup> rate land.

North Between Sec<sup>s</sup>. No. 20 & 21. Township No. 4.  
South, Range No. 5 East

- 0.20 a Brook 20 fms. wide runs West, good water  
2.50 a Brook 15 ins. dia. in line  
40.00 Set the  $\frac{1}{4}$  sec. post, from which a Poplar 12 ins. dia.  
bears N 21 E 13 fms. & a Dogwood 4 ins. dia. bears  
S 15 E 4 fms. This is mile over 2<sup>d</sup> rate land, rather  
rough, yet tillable  
48.50 a Wolf den 50 fms. west of this place. We found  
many hairs at the mouth of the den. the ground  
near this place is nearly level  
71.00 a Brook 20 fms. wide runs West, plenty water & grass.  
80.00 Set a post corner to Sec<sup>s</sup>. No. 16, 17, 20 & 21. Town-  
-ship No. 4 South, Range No. 5 East, from which  
a Brook 20 ins. dia. bears N 76 W 22 fms. & another  
Brook 9 ins. dia. bears S 51 E 9 fms. This is mile  
over 2<sup>d</sup> rate land, level enough for farming, timber  
Brook Oak, poplar, gum, B. Oak. W. Oak.

East Corrected line East between Sec<sup>s</sup>. No. 21 & 28.  
Township No. 4 South, Range No. 5 East

- 39.67 $\frac{1}{2}$  Set the  $\frac{1}{4}$  sec. post on true line at average distance  
from which a B. Oak 20 ins. dia. bears N 16 E 32  
fms. & a Poplar 20 ins. dia. bears N 16 W 13 fms.  
This is mile over land &c. as per random  
41.50 a B. Oak 20 ins. dia. in true line  
79.35 Corner to Sec<sup>s</sup>. No. 21, 22, 27 & 28. Township  
No. 4 South, Range No. 5 East.

North Between Sec<sup>s</sup>. No. 21 & 22. Township No. 4  
South, Range No. 5 E E

- 10.83 a W. Oak 14 ins. dia  
18.00 a Brook 3 fms. wide runs S. W.  
38.89 a Brook 3 fms. wide runs S. W.

# 281

## J. H. S. R. S. E. of Mer. Ind.

- 40.00 Set the  $\frac{1}{4}$  sec. post from which a W. Oak 16 ins. dia. bears S86 E 49 lbs. & another W. Oak 20 ins. dia. bears N66 W 13 lbs. Over rolling land 2<sup>d</sup> rate, timber W. Oak, B. Oak & some Poplar
- 57.00 a Brook 3 lbs. wide runs S. W.
- 62.50 a W. Oak 14 ins. dia
- 80.00 Set a post corner of Sec. No. 15, 16, 21 & 22 Township No. 4 South, Range No. 5 East, from which a Poplar 12 ins. dia. bears N78 E 27 lbs. & a B. Oak 7 ins. dia. bears N82 E 26 lbs. This  $\frac{1}{2}$  mile over 2<sup>d</sup> rate land, rather rough timber W. Oak, B. Oak & some hickory

- East Corrected line East between Sec. No. 22 & 27 in Township No. 4 South, Range No. 5 East
- 39.54 Set  $\frac{1}{4}$  sec. post on true line at average distances from which a Dogwood 4 ins. dia. bears N75 E 9 lbs. & another Dogwood 4 ins. dia. bears S81 W 9 lbs. This  $\frac{1}{2}$  mile over 4c. as per random
- 49.88 Corner to Sec. No. 22, 23, 26 & 27. Township No. 4 South, Range No. 5 East

- North Between Sec. No. 22 & 23. Township No. 4 South Range No. 5 East
- 20.00 a B. Oak 20 ins. dia. in true line
- 40.00 Set  $\frac{1}{4}$  sec. post, from which a W. Oak 20 ins. dia. bears S44 E 17 lbs. & another W. Oak 22 ins. dia. bears N71 W 24 lbs. This  $\frac{1}{2}$  mile over good 2<sup>d</sup> rate land, timber W. Oak, Poplar &c
- 55.00 a Poplar 48 ins. dia
- 80.00 Set a post corner to Sec. No. 14, 15, 22 & 23 Township No. 4 South, Range No. 5 East, from which a Sugar tree 9 ins. dia. bears S78 E 13 lbs. & a Buck 24 ins. dia. bears N44 W 30 lbs. Over good 2<sup>d</sup> rate land, timber Ash, Buck, Sugar &c



# S. L. S. R. 5. E. of Mer.

East Corrected line East between Sec. No. 23 & 24 Township No. 4 South, Range No. 5 East

39.65 Set the  $\frac{1}{4}$  Sec. post on the true line at average distance from which a W. Oak 9 ins. dia. bears N 42 E 14 Mos. & a Black Walnut 40 ins. dia. bears S 42 W 15 Mos.

79.30 Corner to Sec. (No. 23, 24, 25 & 26 Township No. 4 South, Range No. 5 East.

North Between Sec. (No. 23 & 24 Township No. 4 South, Range No. 5 East

28.00 a W. Oak 20 ins. dia.

40.00 Set the  $\frac{1}{4}$  Sec. post from which a Beech 20 ins. dia. bears South 22 Mos. & another Beech 4 ins. dia. bears N 13 E 13 Mos. This  $\frac{1}{2}$  mile over 2<sup>d</sup> rate land, timber Beech, Oak &c. through large briery thicket

50.00 a Poplar 30 ins. dia.

80.00 Set a post corner to Sec. (No. 13, 14, 23 & 24 in Township No. 4 South, Range No. 5 East, from which a Beech 12 ins. dia. bears N 80 E 23 Mos. & another Beech 10 " " " S 56 W 23 Mos. This  $\frac{1}{2}$  mile over 2<sup>d</sup> rate land, timber Beech, Oak &c.

West Random line West between Sec. (No. 14 & 23 Township No. 4 South, Range No. 5 East

40.00 Set the temporary  $\frac{1}{4}$  Sec. post This  $\frac{1}{2}$  mile over 2<sup>d</sup> rate land, timber W. Oak &c.

78.00 fell 55 Mos. South of corner to Sec. (No. 14, 15, 22 & 23 Township No. 4 South, Range No. 5 East, over level 2<sup>d</sup> rate land, timber W. Oak &c.

West Random line West between Sec. (No. 15 & 22 Township No. 4 South, Range No. 5 East

40.00 Set the temporary  $\frac{1}{4}$  Sec. post - This  $\frac{1}{2}$  mile over 2<sup>d</sup> rate level land. Timber White Oak and

# S. L. S. R. S. E. of Mer. Ind. <sup>283</sup>

Beck, very briery &c.  
 78.00 fell 145 Mrs. North of corner to Sect. No. 15. 16. 21  
 & 22 Township No. 4 South, Range No. 5 East  
 This  $\frac{1}{2}$  mile over good 2<sup>d</sup> rate land, - timber W.  
 Oak &c.

West Random between Sect. No. 16 & 21 Township  
 No. 4 South, Range No. 5 East.  
 140.00 Set the temporary  $\frac{1}{4}$  sec. post. This  $\frac{1}{2}$  mile over  
 level 2<sup>d</sup> rate land. timber W. Oak, B. Oak & Poplar  
 57.00 a brook 40 Mrs. wide runs S. W.  
 79.20 fell 60 Mrs. North of corner to Sect. No. 16. 17. 20  
 & 21 Township No. 4 South, Range No. 5 East.  
 Over 2<sup>d</sup> rate land, rather rough, timber Beech,  
 Poplar &c.

West Random line West between Sect. No. 17 & 20  
 Township No. 4 South, Range No. 5 East  
 10.00 a Brook 4 Mrs. wide runs South  
 32.50 a Do 5 " " " "  
 40.00 Set  $\frac{1}{4}$  sec. temporary post. Over 2<sup>d</sup> rate land  
 timber Poplar Beech &c  
 72.00 a Brook 4 Mrs. wide runs N. W.  
 80.40 fell 11 Mrs. North of corner to Sect. No. 17. 18.  
 19 & 20. Township No. 4 South, Range No. 5 East  
 Over good 2<sup>d</sup> rate land, timber Beech Sugar tree  
 Ash, Poplar &c.

West Random line between Sect. No. 18 & 19. Township  
 No. 4 South, Range No. 5 East  
 40.00 Set the temporary  $\frac{1}{4}$  sec. post. This  $\frac{1}{2}$  mile over  
 2<sup>d</sup> rate land, timber Chestnut, Beech &c  
 43.70 a brook 6 Mrs. wide runs N. W.  
 62.00 a creek 40 " " " S. W.  
 81.50 fell 2.75 Mrs. North of corner on Range line  
 Over 2<sup>d</sup> rate land. Timber Beech, Poplar &c

## T. L. S. R. 5. E. of Mer.

East Corrected line East, between Sect. (No. 18 & 19  
 Township (No. 4 South, Range (No. 5 East  
 30.00 a Poplar 30 ins. dia. in true line  
 40.75 Set the  $\frac{1}{4}$  sec. post on the true line at the  
 average distance, from which a (W. Elm 10 ins.  
 dia. bears S 37° W 44 Mos. & a Buck 7 ins. dia. bears  
 N 23° W 38 Mos.  
 60.00 a Buck 10 ins. dia. in true line  
 81.50 Corner to Sect. (No. 17, 18, 19 & 20. Township  
 (No. 4 South, Range (No. 5 East - Corner  
 as per random

North Between Sect. (No. 17 & 18. T. L. S. R. 5. E.  
 1.00 a Brook 4 Mos. wide runs West  
 10.90 a Buck 7 ins. dia.  
 20.00 a Poplar 20. " "  
 40.00 Set the  $\frac{1}{4}$  sec. post, from which a Buck 15 ins.  
 dia. bears N 61° E 22 Mos. & another Buck 14 ins.  
 dia. bears N 72° W 32 Mos. This is mile over land,  
 rather rough, 2<sup>nd</sup> rate land. timber Buck, Poplar  
 Ash &c.  
 55.45 a Brook 4 Mos. wide runs West  
 59.72 a Black 19 ins. dia  
 67.50 a Creek 40 Mos. wide runs S. W.  
 80.00 Set a post corner to Sect. (No. 7, 8, 18 & 17. in  
 Township (No. 4 South, Range (No. 5 East  
 from which a Sugar tree 12 ins. dia. bears S 62° E  
 24 Mos. & another Sugar tree 7 ins. dia. bears N 44° W  
 14 Mos. This is mile over rough but good far-  
 ming land, timber Buck, Sugar tree White  
 Ash, Iron Oak.

East Corrected line East between Sect. (No 17 & 20  
 Township (No. 4 South, Range (No. 5 East  
 20.00 a Buck 10 ins. dia. in true line

# 285

## T. L. S. R. 5. E. of Mer. Ind.

- 40.20 Set the  $\frac{1}{4}$  Sec. post on the true line at the average distance from which a Beech 18 ins. dia. bears N 83 1/2 W 34 lbs. & another Beech 14 ins. dia. bears N 5 W 32 lbs. Over &c. as per random
- 57.00 a Beech 7 ins. dia.
- 80.40 Corner to Sect. No. 16, 17, 20 & 21. Township No. 4 South, Range No. 5 East. Over as per random &c.

North Between Sect. No. 16 & 17. Township No. 4 South Range No. 5 East.

- 23.24 a Gum 16 ins. dia
- 36.06 a W. Oak 30 ins. dia
- 40.00 Set a  $\frac{1}{4}$  Sec. post from which a W. Oak 18 ins. dia. bears S 88 W 33 lbs. & a Hickory 7 ins. dia. bears S 84 E 20 lbs. Over level 2<sup>d</sup> rate land, timber B. Oak W. Oak &c.
- 69.28 a Beech 12 ins. dia.
- 79.50 a Brook 3 lbs. wide runs N. W.
- 80.00 Set a post corner to Sect. No. 16, 17, 8 & 9. Township No. 4 South, Range No. 5 East, from which a Sugar tree 14 ins. dia. bears N 57 W 10 lbs. & another Sugar tree 12 ins. dia. bears N 49 E 24 lbs. This  $\frac{1}{2}$  mile over level 2<sup>d</sup> rate land, Timber Beech W. Oak, B. Oak, Sugar tree &c.

East Corrected line East between Sect. No. 16 & 21 Township No. 4 South, Range No. 5 East

- 27.00 a W. Oak 7 ins. dia. in true line
- 39.62 Set the  $\frac{1}{4}$  Sec. post, on the true line at average distance from which a W. Oak 15 ins. dia. bears S 22 E 25 lbs. & a Poplar 18 ins. dia. bears N 8 1/2 W 31 lbs.
- 53.00 a Beech 12 ins. dia. in true line
- 79.25 Corner to Sect. No. 15, 16, 21 & 22. Township No. 4 South, Range No. 5 East.



## T. 4. S. R. 5. E. of Mer.

North Between Sect. No. 15 & 16. Township No. 4  
South, Range No. 5 East.

- 21.70 a Buck 6 ins. dia  
33.50 a Brook 28 Mrs. wide runs S. W.  
40.00 Set the Sec. post from which a Buck 10 ins. dia  
bears S 86 E 27 Mrs. & another Buck 6 ins. dia. bears  
N 64 W 35 Mrs. This  $\frac{1}{2}$  mile over-solling 2<sup>d</sup> rate  
land, timber Buck, Poplar Sugar &  
60.59 a W. Oak 16 ins. dia  
80.00 Set a post corner to Sect. No. 9. 10. 15 & 16. Township  
No. 4 South, Range No. 5 East. from which a Buck  
7 ins. dia. bears N 59 E 24 Mrs. & another Buck 6  
ins. dia. bears N 28 W 21 Mrs. This  $\frac{1}{2}$  mile is over  
level 2<sup>d</sup> rate land, timber Buck Sugar Poplar &

East corrected line East between Sect. No. 15 & 22 in  
Township No. 4 South, Range No. 5 East

- 39.00 Set the Sec. post on true line at the average distance  
from which a Dogwood 3 ins. dia. bears N 16 E  
15 Mrs. & a W. Oak 20 ins. dia. bears South 22 Mrs.  
As per random  
78.00 Corner to Sect. No. 14. 15. 22 & 23. Township  
No. 4 South, Range No. 5 East. This whole mile  
is over level land & chiefly through a briery thicket

North Between Sect. No. 14 & 15. Township No. 4.  
South, Range No. 5 East

- 20.00 a W. Oak, 20 ins. diameter  
40.00 Set the Sec. post from which a W. Oak 10  
ins. dia. bears South 17 Mrs. & a Buck 14 ins. dia.  
bears North 22 Mrs. This  $\frac{1}{2}$  mile is over good  
farming land, Timber W. Oak, B. Oak &c.  
64.00 a brook 15 Mrs. wide runs S. W.  
80.00 Set a post corner to Sect. No. 10. 11. 14 & 15. Town-  
ship No. 4 South, Range No. 5 East. from

# T. L. S. R. S. E. of Mer. Ind. <sup>287</sup>

which a Beech 30 ins. dia. bears East 8 Mrs. & a Sugar tree 12 ins. dia. bears S 68 W 38 Mrs. This  $\frac{1}{2}$  mile over-level 2<sup>nd</sup> rate land, Timber Beech Ash Sugar &c.

East corrected line East between Sect. No. 14 & 23 Township No. 4 South, Range No. 5 East  
 39.00 Set  $\frac{1}{4}$  Sec. post on true line at average distance from which a Poplar 12 ins. dia. bears N 7 E 17 Mrs. & another Poplar 10 ins. dia. bears S 25 W 28 Mrs. This  $\frac{1}{2}$  mile over-level land as far as ran on  
 48.00 Corner to Sect. No. 13, 14, 23 & 24. Township No. 4 South, Range No. 5 East

East true line East between Sect. No. 13 & 24. Township No. 4 South, Range No. 5 East  
 40.00 Set  $\frac{1}{4}$  Sec. post, from which a Beech 30 ins. dia. bears N 12 E 16 Mrs. & another Beech 20 ins. dia. bears N 12 W 17 Mrs. This  $\frac{1}{2}$  mile over-3<sup>rd</sup> rate land Timber Beech Chestnut &c.  
 54.00 Down the River hill  
 58.00 To the Ohio bank. a Poplar 40 ins. dia. the corner to Sect. No. 13 & 24. Township No. 4 South, Range No. 5 East, from which a Sugar tree 12 ins. dia. bears North 9 Mrs. & another Sugar tree 6 ins. dia. bears S 70 W 10 Mrs. over-3<sup>rd</sup> rate land,

North Between Sect. No. 13 & 14. Township No. 4 South Range No. 5 East  
 31.00 a Poplar 40 ins. dia  
 40.00 Set  $\frac{1}{4}$  Sec. post from which a Gum 20 ins. dia. bears S 8 W 29 Mrs. & a W. Oak 8 ins. dia. bears N 12 W 24 Mrs. This  $\frac{1}{2}$  mile over-2<sup>nd</sup> rate land. Timber Oak, Ash, Chestnut &c.  
 80.00 Set a post corner to Sect. No. 11, 12, 13 & 14. Township No. 4 South, Range No. 5 East. from

# T. L. S. R. S. E. of Mer.

which w Buck 12 ins. dia. bears N 35 W 32 lbs. &  
another Buck 9 ins. dia. bears S 58 E 8 lbs.  
This  $\frac{1}{2}$  mile over level  $\frac{1}{2}$  rate land, timber W. Oak  
and Buck, Open woods

- East True line East between Sect. No. 12 and 13  
Township No. 4 South Range No. 5 East  
46.00 Set the  $\frac{1}{4}$  sec. post, from which a Sugar-tree 8 ins.  
dia. bears N 87 E 13 lbs. & a Hickory 20 ins. dia. bears  
S 31 W 21 lbs. This  $\frac{1}{2}$  mile over  $\frac{1}{2}$  rate rough land,  
timber Oak, Buck &c.  
68.00 Descended the River-hill very steep & rocky.  
73.50 New Ohio River, set a post corner to Sect. No.  
12 & 13. Township No. 4 South, Range No. 5 East  
from which a Sugar-tree 10 ins. dia. bears N 89 W  
18 lbs. & a Mulberry 4 ins. dia. bears N 69 E 8 lbs.  
This  $\frac{1}{2}$  mile over  $\frac{1}{2}$  rate land, timber Buck, Oak  
Oak &c.

- West Between Sect. No. 11 & 12 Township No. 4 South  
Range No. 5 East - random line  
40.00 Set temporary  $\frac{1}{4}$  sec. post. This  $\frac{1}{2}$  mile over good  
farming land,  $\frac{1}{2}$  rate, timber W. Oak &c.  
78.00 fell 51 lbs. North of corner to Sect. No. 10, 11, 14 & 15  
Township No. 4 South, Range No. 5 East  
This  $\frac{1}{2}$  mile over good farming  $\frac{1}{2}$  rate land, timber  
W. Oak, B. Oak, Poplar, Oak &c.

- West Random line West between Sect. No. 10 and 15  
Township No. 4 South, Range No. 5 East  
40.00 Set temporary  $\frac{1}{4}$  sec. post. This  $\frac{1}{2}$  mile over  $\frac{1}{2}$  rate  
land, timber W. Oak, B. Oak, Buck &c.  
78.00 fell 125 lbs. North of corner to Sect. No. 9, 10, 15 & 16  
Township No. 4 South, Range No. 5 East. This  
over level ground. Timber W. Oak, B. Oak &c.

289

T. L. S. R. 5. E. of Mer. Ind.

West Random line West between Sect. No. 9 & 16. Town-  
-ship No. 4 South, Range No. 5 East.

- 5.00 a creek 30 lbs. wide runs S. W.  
40.00 Set temporary 1/4 sec. post. This 1/2 mile over 2<sup>d</sup>  
rate land. Timber Beech, Poplar W. Oak &c.  
78.98 fell 55 lbs. North of corner to Sect. No. 8, 9, 16 &  
W. Township No. 4 South, Range No. 5 East.  
This 1/2 mile over level 2<sup>d</sup> rate land. Timber Beech  
Hickory, W. Oak, B. Oak &c.

West Random line West between Sect. No. 8 & 17 in  
Township No. 4 South, Range No. 5 East.

- 3.00 a Brook 3 lbs. wide, runs N. W.  
39.50 a Do 3 " " " N. W.  
40.00 Set temporary 1/4 sec. post. This mile over good  
farming land. Timber Beech. Hickory  
52.75 a brook 4 lbs. wide runs N. W.  
70.00 a creek 35 " " " S. W.  
80.50 fell 4 lbs. North of corner to Sect. No. 7, 18, 17 &  
18. Township No. 4 South, Range No. 5 East.  
This 1/2 mile over 2<sup>d</sup> rate land. Timber Beech,  
Poplar Oak &c.

West Random line West between Sect. No. 7 and 18  
Township No. 4 South, Range No. 5 East

- 40.00 Set temporary 1/4 sec. post. This 1/2 mile over level  
2<sup>d</sup> rate land, Timber B. Oak, W. Oak, Hickory  
& Poplar  
54.00 a Brook 6 lbs. wide runs South  
81.65 fell lbs. North of corner to Sect. No. 7, 18  
Township No. 4 South, Range No. 5 East.  
This 1/2 mile over level 2<sup>d</sup> rate land. Timber  
W. Oak, B. Oak, Poplar

East Connected line West between Sect. No. 7 and 18  
Township No. 4 South, Range No. 5 East.



## T. L. L. R. S. E. of Mer

- 20.00 a W. Oak 6 ins. dia. in true line  
 40.92 Set 1/4 sec. post on true line at average distance from  
 which a Sugar tree 4 ins. dia. bears S 2 W 30 Mos. & a  
 W. Oak 5 ins. dia. bears N 56 E 6 Mos.  
 70.00 a W. Oak 10 ins. dia. in true line  
 81.65 corner to Sec. No. 7. S. 17 N 18. T. L. L. R. S. E.

## North Between Sec. No. 7 &amp; 8. T. L. L. R. S. E.

- 27.86 a Poplar 16 ins. dia  
 40.00 Set 1/4 sec. post, from which a poplar 16 ins. dia. bears  
 N 42 E 10 Mos. & Gum 14 ins. dia. bears S 85 E 49 Mos.  
 This 1/2 mile over level 2<sup>nd</sup> rate land, Timber B. Oak,  
 W. Oak, Gum & Poplar.  
 80.00 Set a spot corner to Sec. No. 5. S. 7 N 8. T. L. L. R. S. E.  
 from which a W. Oak 20 ins. dia. bears S 57 W  
 44 Mos. & a Dogwood 4 ins. dia. bears N 47 E 24 Mos.  
 Over level 2<sup>nd</sup> rate land, Timber B & W. Oak, Poplar

East Corrected line East between Sec. No. 8. 17. Town  
 ship No. 4 South, Range No. 5 East.

- 40.25 Set 1/4 sec. post on true line at average distance  
 from which a Beech 14 ins. dia. bears S 12 E 36 Mos.  
 & another Beech 7 ins. dia. bears N 9 E 9 Mos.  
 80.50 corner to Sec. No. 8. 9. 16. V 17. T. L. L. R. S. E.

## North Between Sec. No. 8 &amp; 9. T. L. L. R. S. E.

- 22.17 a Beech 14 ins. dia  
 35.50 a brook 7 Mos. wide N. W.  
 40.00 Set 1/4 sec. post, from which a Beech 12 ins. dia. bears  
 S 65 E 9 Mos. & a Dogwood 4 ins. dia. bears S 55 E 15 Mos.  
 This 1/2 mile over 3<sup>rd</sup> rate soil, timber B. Oak, W. Oak.  
 50.11 a Sugar tree 18 ins. dia  
 55.50 a brook 25 Mos. wide runs S 60 W  
 65.00 To the bank of a brook 40 Mos. wide  
 69.50 along the East bank of said brook  
 71.00 crossed said brook

291

T. L. S. R. S. E. of Mer. Ind.

80.00 Set a post corner to Sect. No. 4. 5. 8 & 9. T. L. S. R. S. E.  
from which a W. Oak 15 ins. dia. bears N 79 E 17 Mo.  
& another W. Oak 14 ins. dia. bears S 35 E 15 Mo. Over  
hilly land, 3<sup>d</sup> rate soil. Timber W. Oak, B. Oak &c

East Corrected line East between Sect. No. 9 and 16 in  
T. L. S. R. S. E.

39.48 Set 1/4 sec. post on the true line at the average distance  
from which a Poplar 16 ins. dia. bears S 29 E 25 Mo.  
Va W. Ash 15 ins. dia. bears N 29 W 3 Mo.

64.00 a Beech 9 ins. dia

78.96 corner to Sect. No. 9. 10. 3 & 4. T. L. S. R. S. E.

North Between Sect. No. 9 & 10. T. L. S. R. S. E.

10.00 a brook 15 Mo. wide course S. W.

23.27 a Beech 14 ins. dia

40.00 Set 1/4 sec. post, from which a W. Ash 18 ins. dia. bears  
S 65 E 30 Mo. & a Dogwood 4 ins. dia. bears S 73 E 5 Mo.  
This 1/2 mile over level 2<sup>d</sup> rate land, Timber Beech  
W. Ash, Sugar-tree, Poplar &c.

56.00 a Sugar-tree 10 ins. dia.

62.50 a brook 3 Mo. wide runs N. W.

79.25 a Beech 30 ins. dia

80.00 Set a post corner to Sect. No. 9. 10. 3 & 4. T. L. S. R. S. E.  
from which a Beech 12 ins. dia. bears N 88 W 15 Mo. &  
a Beech 15 ins. dia. bears N 5 1/2 E 27 Mo. Over rough  
land 3<sup>d</sup> rate. Timber, Beech & Poplar.

East Corrected line East between Sect. No. 10 and 15 in  
Township No. 4 South, Range No. 5 East.

37.00 Set 1/4 sec. post on true line at average distance, from  
which a Beech 2 1/4 ins. dia. bears N 26 E 36 Mo. & a  
Beech 3 1/2 ins. dia. bears S 30 W 12 Mo. — as per random &c

78.00 corner to Sect. No. 10. 11. 14 & 15. T. L. S. R. S. E.  
Over &c. as per the random line

# S. L. S. R. S. E. of Mer.

North Between Sec. No. 10 & 11. T. 4 S. R. 5 E.

40.00 Set  $\frac{1}{4}$  sec. post from which a Sugar tree 12 ins. dia. bears West 2 Ms. & a Dogwood 3 ins. dia. bears N  $74^{\circ}$  E 17 Ms. This  $\frac{1}{2}$  mile over State land. Timber W. Oak, B. Oak, Sugar tree &c.

43.00 a Poplar 20 ins. dia. in line

80.00 Set a post corner to Sec. No. 2, 3, 10 & 11. Township No. 4 South, Range No. 5 East. from which a Sugar tree 10 ins. dia. bears S  $70^{\circ}$  E 12 Ms. & another Sugar tree 6 ins. dia. bears N  $70^{\circ}$  W 11 Ms. Over good State land, Timber Poplar-Oak &c.

East Connected line East between Sec. No. 11 & 14

Township No. 4 South, Range No. 5 East

39.00 Set  $\frac{1}{4}$  sec. post on true line at average distance from which a Beech 10 ins. dia. bears North  $21^{\circ}$  Ms. & a W. Oak 10 ins. dia. bears S  $15^{\circ}$  E  $3\frac{1}{2}$  Ms. This  $\frac{1}{2}$  mile over &c. as per random

78.00 Corner to Sec. No. 11, 12, 13 & 14. Township No. 4 South, Range No. 5 East.

North Between Sec. No. 11 & 12. Township No. 4 South, Range No. 5 East.

40.00 Set  $\frac{1}{4}$  sec. post, from which a Sugar tree 6 ins. dia. bears N  $46^{\circ}$  W 12 Ms. & an Elm 4 ins. dia. bears S  $44^{\circ}$  E 11 Ms. This  $\frac{1}{2}$  mile over - State land. Timber Beech Oak &c.

80.00 Set a post corner to Sec. No. 1, 2, 11 & 12. Township No. 4 South, Range No. 5 East. from which a B. Oak 12 ins. dia. bears N  $76^{\circ}$  W 18 Ms. & another B. Oak 14 ins. dia. bears S  $77^{\circ}$  E 11 Ms. This  $\frac{1}{2}$  mile over - mountainous rocky land, timber Oak, Beech &c.

West Random line West between Sec. No. 2 & 11 Township No. 4 South, Range No. 5 East.

40.00 Set temporary  $\frac{1}{4}$  sec. post. This  $\frac{1}{2}$  mile over -

# T. L. S. R. S. E. of Mer. Ind. <sup>293</sup>

rough stony land, timber Chestnut &c  
 70.00 Struck corner to Sect. No. 2, 3, 10 & 11. Township  
 No. 4 South, Range No. 5 East. This  $\frac{1}{2}$  mile  
 over 2<sup>d</sup> rate land, Timber Poplar & Oak.

West Random line West between Sect. No. 3 & 10  
 Township No. 4 South, Range No. 5 East.

40.00 Set temporary  $\frac{1}{4}$  sec. post. This  $\frac{1}{2}$  mile over  
 2<sup>d</sup> rate land, Timber Ash, Oak.

78.75 fell 100 lbs. North of corner to Sect. No. 3, 4, 9 &  
 10. Township No. 4 South, Range No. 5 East.  
 This  $\frac{1}{2}$  mile over rough broken land, Timber Beech  
 Oak, &c.

West Random line West between Sect. No. 4 & 9. in  
 Township No. 4 South, Range No. 5 East.

5.00 a Brook 20 lbs. wide runs S. W.

40.00 Set temporary  $\frac{1}{4}$  sec. post. Over hilly 2<sup>d</sup> rate land  
 Timber Beech, Sugar-tree, Poplar W. Ash &c.

76.00 a creek 10 lbs. wide runs S. W.

79.37 fell 62 lbs. North of corner to Sect. No. 4, 5, 8 &  
 9. Township No. 4 South, Range No. 5 East.  
 2<sup>d</sup> rate. Timber W. Oak, Beech.

West Random line West between Sect. No. 5 & 8  
 Township No. 4 South, Range No. 5 East.

12.00 a Brook 6 lbs. wide, runs S. W.

40.00 Set the temporary  $\frac{1}{4}$  sec. post. Over rough hilly  
 but 3<sup>d</sup> rate land. Timber Beech, W. Oak, Poplar &c

80.20 fell 30 lbs. South of corner to Sect. No. 5, 6, 7 & 8  
 Township No. 4 South, Range No. 5 East.  
 Over level 2<sup>d</sup> rate land, W & B. Oak, Poplar &c

West Between Sect. No. 6 & 7. Random

40.00 Temporary  $\frac{1}{4}$  sec. post. Over level 2<sup>d</sup> rate land.  
 Oak, some Poplar &c



## T. L. S. R. S. E. of Mer.

44.50 a Brook 6 lbs. wide course S. W.  
 81.72 fell 3.50 lbs. North of corner to Sect. No. 6 & 7.  
 Over level 2<sup>d</sup> rate land. W & P. Oak, Poplar &c

East Corrected the line between Sect. No. 6 & 7  
 40.86 Set  $\frac{1}{4}$  sec. post on true line at average distance  
 from which a W. Oak 6 ins. dia. bears S 66.30° W  
 16 lbs. & a Gum 5 ins. dia. bears N 22° W 16 lbs.  
 62.00 a W. Oak 14 ins. dia. in the line  
 81.72 Do corner of Sect. No. 5, 6, 7 & 8. T. L. S. R. S. E.

North Between Sect. No. 5 & 6. Down T. L. S. R. S. E. East  
 27.00 a Beech 14 ins. dia  
 40.00 Set  $\frac{1}{4}$  sec. post. from which a W. Oak 16 ins. dia.  
 bears N 82° W 16 lbs. & a Dogwood 4 ins. dia. bears  
 N 86.30° E 4 lbs. Over level 2<sup>d</sup> rate land. Oak, Poplar &c.  
 50.72 a P. Oak 24 ins. dia  
 68.20 a Brook 4 lbs. wide course S. W.  
 72.86 a Beech 16 ins. dia  
 76.20 fell 11.44 lbs. West of Sec. corner. Over level  
 2<sup>d</sup> rate land. timber Oak, Poplar &c, Set a post  
 from which a W. Oak 14 ins. dia. bears N 67.30° E  
 16 lbs. & a Poplar 7 ins. dia. bears S 25.30° W 42 lbs.

East Correct the line between Sect. No. 5 & 8  
 40.45 Set  $\frac{1}{4}$  sec. post on true line at average distance  
 from which a W. Oak 4 ins. dia. bears S 16° E 6 lbs.  
 & a Poplar 36 ins. dia. bears N 14° W 7 lbs.  
 80.90 Corner to Sect. No. 4 & 5

November 29<sup>th</sup> 1805

North Between Sect. No. 4 & 5  
 21.78 a Poplar 36 ins. dia  
 29.50 a Brook 4 lbs. wide, runs S. E.  
 40.00 Set  $\frac{1}{4}$  sec. post from which a W. Oak 18 ins. dia.  
 bears N 83° W 40 lbs. & a W. Oak 1.5 ins. dia. bears

# 295

## T. L. S. R. 5. E. of Mer. Ind.

S53 E 21 lks. This  $\pm$  mile I note rough land, timber  
W. Oak, Poplar &c

51.90 a W. Oak 15 ins. dia

54.50 at 75 lks. West of the line is a natural bridge  
of rocks & a cave

58.00 a brook 6 lks. wide course S. E.

64.00 a Do. b " " " S. W

67.00 a Do b " " " S. E.

76.18 fell 10.40 lks. West of corner - set a post - corner  
to Sect. No. 4 & 5 Town 4 South, Range 5 East.  
from which a Hickory 8 ins. dia. bears S57 E 17 lks.  
& a Hickory 13 ins. dia. bears S85 W 14 lks. 3<sup>d</sup> rate,  
hilly - Oak, Hickory

East Connected the line between Sect. No. 4 & 9

39.69 Set  $\frac{1}{4}$  sec. post on true line at average distance from  
which a W. Oak 11 ins. dia. bears S46.30 W 8 lks. & a  
Beech 16 ins. dia. bears N4.30 E 13 lks

79.38 corner to Sect. No. 3, 4, 9 & 10

North Between Sect. No. 3 & 4 T. 4 S. R. 5. E.

4.00 a Brook 20 lks. wide bears S. W.

10.12 a Beech 14 ins. dia

40.00 Set  $\frac{1}{4}$  sec. post, from which a Chestnut 7 ins.  
dia. bears S29 W 47 lks. & a B. Oak or Br. Oak 18  
ins. dia. bears N45.30 E 31 lks. - Broken 3<sup>d</sup> rate.  
Beech, Oak &c.

60.30 a W. Oak 14 ins. dia

71.00 a W. Oak 18 " "

75.10 fell 10 lks. West of post on Town line, set a post  
from which a B. Oak 12 ins. dia. bears S50 E 14 lks. &  
a W. Oak 14 ins. dia. bears S41 W 55 lks. Over 3<sup>d</sup> rate  
land, hilly. Timber B & W. Oak, Beech &c. &c

East Connected the line between Sect. No. 3 & 10

39.37 $\frac{1}{2}$  set  $\frac{1}{4}$  sec. post on true line from which a Poplar

## T. L. S. R. 5. E. of Mer. Ind.

20 ins. dia. bears S 81 W 16 lbs. & a Buck 9 ins. dia. bears S 79 E 18 lbs.

52.00 w Bl. Oak 30 ins. dia

78.75 corner to Sect. No. 2, 3, 10 & 11. Township No. 4 South, Range No. 5 East. Level 2<sup>d</sup> rate land.

North Between Sections No. 2 & 3.

19.00 a Sugar tree 19 ins. dia

40.00 Set 1/4 Sec. post from which a Beech 4 ins. dia. bears N 86 W 7 lbs. & a Buck 4 ins. dia. bears S 85 E 6 links. Level 2<sup>d</sup> rate land. Beech Chestnut &c.

68.00 a brook 10 lbs. wide runs West

70.50 fell 11.95 lbs. West of corner. Set a post to T. L. S. R. 5. E. from which a B. Walnut 10 ins. dia. bears S 49 W 31 lbs. & a Buck 4 ins. dia. bears N 50 E 5 lbs. Rough 3<sup>d</sup> rate land. Oak, Beech Poplar &c.

East Corrected between Sect. No. 2 & 11

39.50 Set 1/4 Sec. post on true line at average distance from which a Beech 4 ins. dia. bears S 10 E 6 lbs. & a Hickory 8 ins. dia. bears N 10 W 5 lbs.

79.00 corner to Sect. No. 1, 2, 11 & 12. T. L. S. R. 5. E.

North Between Sect. No. 1 & 2

9.00 over a spine of knobs on cliffs of rocks.

13.00 In a deep hollow, terrible cliffs on each side

23.00 a Poplar 35 ins. dia

40.00 Set 1/4 Sec. post between two mighty cliffs of rocks from which an Elm 12 ins. dia. bears N 15 E 8 lbs. & a Rock about 100 tons weight bears West 11 lbs.

43.00 a long cliff of rocks inaccessible to any human being, no possibility of making offsets.

East On a true line between Sect. No. 1 & 12.

297

T. 4. S. R. 5. E. of Mer. Ind.

- 5.00 On the top of a high knob.  
 27.50 a Chestnut 36 lbs. in circumference  
 40.00 Set  $\frac{1}{4}$  sec. post from which an Ironwood 4 ins. dia. bears S 60 W 28 lbs. & a White Walnut 9 ins. dia. bears N 66 E 23 lbs. This  $\frac{1}{2}$  mile over rough 3<sup>d</sup> rate land, knobby, rocky, timber Chestnut, Beech some Ash.  
 62.50 come down on the River bottom  
 62.80 a brook 15 lbs. wide runs S. E.  
 95.00 Intersected Range line 610 lbs. North of corner Set a post from which a Sugar 14 ins. dia. bears N 21 W 14 lbs. & a Maple 20 ins. dia. bears S 70 E 7 lbs. This  $\frac{1}{2}$  mile 2<sup>d</sup> rate land, timber Beech &c chiefly through a cane brake.

Alexanders of the Ohio River in Town-  
 ship No. 4. South, Range No. 5 East  
 offset 2 chs. due West. of Township corner No.  
 4 & 5 South, Range No. 5 East & run  
 N 5 W 79.59. intersected the East & West line between  
 the fractions of Sec. (No. 25 & 36. Township  
 No. 4 South, Range No. 5 East 1 chain 15 lbs.  
 due West of the corner on the bank of the Ohio.

From the last point of intersection  
 N 5 W 40.21.  
 North 38.50. intersected the East & West line between the  
 fractions of Sec. No. 24 & 25. Township No.  
 4 South Range No. 5 East, 1 chain 19 lbs.  
 due West of the corner on the bank of the Ohio

- N 3 E 40.00 at 24 chs. a brook 15 lbs. wide  
 N 10 E 9.50  
 N 2 E 9.50 offset due East 2 chains 50 lbs. on to the  
 beach of the Ohio  
 N 3 E 20.67 intersected the East & West line, between the



## T. 4. S. R. 5. E. of Mer. Ind.

Sec. (No. 13 & 24. Township (No. 4 South, Range No. 5 East 1 chain 75 lks. due East of the corner on the Bank of the Ohio.

At 5 E 21.00

At 11 & E 60.35 intersected the East & West line between fractions of Sections (No. 12 and 13. Township (No. 4 South, Range (No. 5 East. 50 lks. due East of the corner on the bank of the Ohio. Then from the corners of Sec. (No. 12 & 13. Township (No. 4 South, Range (No. 5 East ran.

At 21 E 13.00

At 24 E 43.50 at 3 lks. a creek 30 lks. wide

At 35 & E 6.44 intersected the Township corner on the Range line between Ranges No. 5 & 6 East which corner stands on the Westerly bank of the Ohio River.

N. B. Frequently casting angles across the Ohio River, I found the width to be uniform - by from 50 to 60 lks.

Surveyed by  
 Aaron Dayton  
 Deputy Surveyor

I certify that the foregoing Transcript of the Field notes of Township No. 4 South Range No. 5 East of the Mer. has been compared with the original in this office & found to be correct.

Surveyor General's Office  
 Cincinnati, Feb. 9<sup>th</sup> 1841 J. S. Cairnes  
 Surveyor